

VESTIGE IMPLA/CLEAR - CATALYST

Revision n. 2 Dated: 06/13/2024

Pag. n. 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Product Name: VESTIGE IMPLA/CLEAR- CATALYST

Code: 1S6100

1.2. Relevant identified uses of the substance or mixture and uses advised against

For professional use only. Addition silicone for dental impression.

1.3. Details of the supplier of the safety data sheet

Name

TRAYART srl Via Paiette, 13/Q

35040 Castelbaldo (PD)

Italy

Tel. +39 0425 546515

Competent person responsible for the safety data sheet:

info@trayart.it

1.4. Emergency number

+39 0425 546515 (office hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental

effects: No other hazards

2.2. Label elements

The Regulation EC 1272/2008, on classification, labelling and packaging of substances and mixtures (CLP), shall not apply to a medical device in the finished state used in direct physical contact with the human body according to art. 1.5, letter d). Therefore the product is exempted from the CLP labeling requirements.

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Applicable

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

None.



VESTIGE IMPLA/CLEAR - CATALYST

Revision n. 2 Dated: 06/13/2024

Pag. n. 2

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13



VESTIGE IMPLA/CLEAR - CATALYST

Revision n. 2 Dated: 06/13/2024

Pag. n. 3

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

See section 10.5.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

See section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

VESTIGE IMPLA/CLEAR- CATALYST

DNEL Exposure Limit Values

Not available

PNEC Exposure Limit Values

Not available

8.2. Exposure controls

Precautionary measures:

Give adequate ventilation to the premises where the product is stored and/or handled.

Eye protection:

Wear airtight protective goggles.

Protection for skin:

Wear professional overalls and safety footwear.

Protection for hands:

Protect hands with work gloves.

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

Respiratory protection:

Use respiratory protection where ventilation is insufficient or exposure is prolonged. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered (e.g. TLV-TWA).

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties



VESTIGE IMPLA/CLEAR - CATALYST

Revision n. 2 Dated: 06/13/2024

Pag. n. 4

Properties	Value	Method:	Notes
Appearance and colour:	Fluid,transparent		
Odour:	Odourless		
Odour threshold:	Not Relevant		
pH:	Not Relevant		
Melting point / freezing point:	Not Relevant		
Initial boiling point and boiling range:	Not Relevant		
Flash point:	>100 ° C	EN ISO 3679	
Evaporation rate:	Not available		
Solid/gas flammability:	Not Relevant		
Upper/lower flammability	Not available		
or explosive limits:			
Vapour pressure:	Not available		
Vapour density:	Not available		
Relative density:	1.07 g/cm3		
Solubility in water:	Insoluble		
Solubility in oil:	Not available		
Partition coefficient (n-octanol/water):	Not available		
Auto-ignition temperature:	Not available		
Decomposition temperature:	Not available		
Viscosity:	Not available		
Explosive properties:	Not available		
Oxidizing properties:	Not available		

9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	Not available		
Fat Solubility:	Not available		
Conductivity:	Not available		
Substance Groups relevant properties	Not available		

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactionsNone

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.



VESTIGE IMPLA/CLEAR - CATALYST

Revision n. 2 Dated: 06/13/2024

Pag. n. 5

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the product: VESTIGE IMPLA/CLEAR- CATALYST

- a) acute toxicity

 Not classified
- b) skin

corrosion/irritation Not classified

- c) serious eye damage/irritation Not classified
- d) respiratory or skin sensitisation Not classified
- e) germ cell mutagenicity Not classified
- f) carcinogenicity Not classified
- g) reproductive toxicity Not classified
- h) STOT-single exposure Not classified
- i) STOT-repeated exposure Not classified
- j) aspiration hazard Not classified

Toxicological information of the main substances found in the product: Not available

SECTION 12: Ecological

information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. ELITE GLASS - CATALYST

Not classified for environmental hazards

Based on available data, the classification criteria are not met

12.2. Persistence and degradability

Not available

12.3. Bioaccumulative potential

Not available

12.4. Mobility in soil



VESTIGE IMPLA/CLEAR - CATALYST

Revision n. 2 Dated: 06/13/2024

Pag. n. 6

Not available

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

Not available

14.3. Transport hazard class(es)

Not available

14.4. Packing group

Not available

14.5. Environmental hazards

ADR-Environmental Pollutant: No IMDG-Marine pollutant: No

14.6. Special precautions for user

Not available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not Applicable

SECTION 15: Regulatory

information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at

work) Dir. 2000/39/EC (Occupational exposure limit

values) Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2

CLP) Regulation (EU) n. 618/2012

(ATP 3 CLP) Regulation (EU) n.

487/2013 (ATP 4 CLP) Regulation

(EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6

CLP) Regulation (EU) n. 2015/1221

(ATP 7 CLP) Regulation (EU) n.

2016/918 (ATP 8 CLP) Regulation

(EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10

CLP) Regulation (EU) n. 2018/669

(ATP 11 CLP) Regulation (EU) n.

2018/1480 (ATP 13 CLP) Regulation

(EU) n. 2019/521 (ATP 12 CLP)



VESTIGE IMPLA/CLEAR - CATALYST

Revision n. 2 Dated: 06/13/2024

Pag. n. 7

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the

product: No restriction.

Restrictions related to the substances contained: No restriction.

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

Lagerklasse according to TRGS

510: LGK 10: Combustible

liquids

WGK Classification (Water hazard class - Verwaltungsvorschrift wassergefährdende Stoffe)

WGK1 - Slightly hazardous for water

Lagerklasse according to TRGS

510: LGK 10: Combustible

liquids

Substances subject to exportation reporting pursuant to (EC) Reg.

649/2012: None.

California Proposition 65

Substance(s) listed under California

Proposition 65: None.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture. Substances for which a Chemical Safety Assessment has been carried out:

SECTION 16: Other information

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECHA – European Chemical Agency

GESTIS - Information system on hazardous substances of the German Social

Accident Insurance

IARC – International Agency for Research on Cancer

IPCS INCHEM - International Programme on Chemical

Safety ISS - Istituto Superiore di Sanità

PubChem - open chemistry database at the National Institutes of Health (NIH)

A safety data sheet is not required for this product under article 31 of Regulation 1907/2006/EC. This safety data sheet has been created on a voluntary basis.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.



VESTIGE IMPLA/CLEAR - CATALYST

Revision n. 2 Dated: 06/13/2024

Pag. n. 8

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International

Carriage of Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American

Chemical Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances. GefStoffVO: Ordinance on Hazardous Substances,

Germany.

GHS: Globally Harmonized System of Classification and

Labeling of Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air

Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average
WGK: German Water Hazard Class.